Sunland Analytical



11419 Sunrise Gold Circle, #10 Rancho Cordova, CA 95742 (916) 852-8557

Date Reported 07/15/20 Date Submitted 07/12/20

To: Tom Teriffic
Great Landscape
1234 Main St .
Everywhare, CA

99999

From: Gene Oliphant, Ph.D. \ Randy Horney
General Manager \ Lab Manager

The reported analysis was requested for the following:
Location: POTTING START Site ID: GROUP #1.
Thank you for your business.

* For future reference to this analysis please use SUN # 555428-2111254.

GREEN HOUSE/CONTAINER MIX ANALYSIS FROM SATURATION EXTRACT

pH 6.52 Near neutral

E.C. 2.50 mmho/cm Problem with very salt sensitive plants

Tot.Dissolved Salts 1600 ppm Problem with very salt sensitive plants

Sodium Absorption Ratio (SAR) 1.2 No Problem Exchangable Sodium Percentage (ESP) 0.5

Ammonia-N Nitrate-N ppm 22.11 Phosphate-P ppm 0.73 Meq/1Potassium 355.96 ppm Sulfate-S Meq/1 3.42 Sodium 8.88 Meg/1Calcium 6.61 Meg/lMagnesium 0.35 ppm Boron Excessive Low Adequate Very Low

** Adequate values may vary for different plant species.